



**GYWS**®



## Company profile

Our factory is located on the Bank of Xin'an River. The company was founded in 1993, the production plant covers an area of 10000 square meters, with more than 50 sets of fully automatic and semi-automatic production and manufacturing machinery. The factory can produce 200000 masks everyday. GYWS series products with high quality, service and credit is selling very well all over the country, is also the model enterprise of Youxiu private enterprises in 2010 Shanghai World Expo.

X



# Company Certificate



## Business License



## Production License



## Safety Sign Certificate



# Description



## 3000 FFP2 Masks

### Features:

1. Fully qualified mask
2. Brand new raw material
3. Super comfortable elastic elastic band, no earache for long time

- 1、 Products certified by KN95, up to national standard GB 2626 – 2006
- 2、 N95 top grade high efficiency filter cloth is adopted, with filter efficiency of over 95%, which can effectively block dust、 virus and non oil particles in the air
- 3、 It is used to protect from dust, fog, smoke and suspended particles made by mechanical and heating production. With active carbon layer (special active carbon without resin) it can effectively reduce or eliminate the discomfort of organic gas and peculiar smell. It is suitable for chemical pesticide, solvent cleaning, spray painting and printing, electronics, food processing industry, automobile and ship repair, ink dyeing and finishing, environmental disinfection and other harsh workplaces
- 4、 The hard plastic nose strip is added, which is not easy to break after repeated bending. The disadvantages of aluminum nose clip used in folding mask are eliminated
- 5、 Filter cloth with special material on the outer layer can reduce the fiber falling off and increase the wearing comfort
- 6、 The ear band is made of special rubber which is comfortable for the head, without pain and easy-break
- 7、 When mask is not needed, it can be adjusted and hung on the neck to reduce unnecessary waste
- 8、 Small package design, convenient for product distribution, reduce unnecessary waste and improve distribution efficiency
- 9、 Foldable, easy to carry and store



BFE99  
PFE99

# 1011 and 1012 Disposable Thick Active Carbon Mask

## Description

1. Three dimensional 3-4 layer structure, solid protection. The mask is made of soft and comfortable top filtering melt spraying PP material, which does not irritate the skin. It is comfortable to wear.
2. It is made of three-dimensional processing without pressure on the mouth and nose, which can eliminate the discomfort of breathing and speaking.
3. It is filtered by melt spraying method, and the filtering efficiency has reached more than 99%.
4. The nose buckle and special processing on both sides of the mask make it fit the face best
5. The ear (head) rope is made of thick, gentle and soft material.
6. Double open design reduces the chance to get polluted. It is safe, sanitary and convenient.
7. Automatic assembly line manufacturing, safety and hygiene, quality assurance
8. It is applicable to electronic manufacturing, catering service, food processing, schools, motorbike-riders, handicraft industry, hospitals, pharmaceutical factories, environmental cleaning, public places, etc



## Characteristic:

1. There are three layers (one layer of melt blown cloth) and four layers (two layers of melt blown cloth)
2. Double wire nose strip, tight protection against leakage
3. Both sides of the mask are wrapped without cracking, and the ear band is welded firmly without falling off



# Description



## 2007 Active Carbon

### Description

- 1、 This product has the functions of high efficiency purification, high efficiency dust resistance, high efficiency adsorption, low respiratory resistance, antibacterial, etc
- 2、 This product can effectively filter respirable dust and some pathogens through electrostatic adsorption and interception principle, with filtration efficiency of more than 99%. The mask is synthesized by ultra sonic method, safe and sanitary. The mask has no sewing pinhole, reducing the penetration of dust and other pollutants, and improving protection safety
- 3、 Compared with the traditional gauze mask, it adopts high-efficiency filter cloth, N95 absorption filter material makes breathing safer, and the inner and outer layers adopt high count cotton gauze, which has incomparable comfort with other materials in the world
- 4、 There is no universal design suitable for all face types. The implicit adjustment of nose clip and elastic ear band of this product is to fit all face types to the greatest extent, improve the tightness and effectively reduce the leakage



- 5、 Some working environment only have some peculiar smell of gas alone. Although the concentration does not reach the level harmful to health (not exceeding the standard), it makes people feel uncomfortable. It is recommended to use the Gongyou guard series with active carbon to purify the particles.
- 6、 Widely used in chemical, leather, shipbuilding, container, automobile manufacturing, spray dyeing, food, medical and sanitation industries
- 7、 When any part of the mask is damaged, broken or lost (such as nose clip), and the respiratory resistance is obviously increased, the whole mask should be discarded
- 8、 This product is not suitable for the environment with smoke and oxygen concentration less than 18%, toxic gas and serious pollution. In the following conditions, it is not suitable for wearing, or the consultation or assistance of medical staff is required before use:
  - A person with difficulty in the heart or respiratory system (such as asthma, emphysema)
  - B. dizziness, dyspnea and skin sensitivity after wearing
  - C Pregnancy

## Description



# 1015 Disposable Carbon Mask

### Description

1. Three dimensional 5 layer structure, solid protection. The mask is made of soft and comfortable top filtering melt spraying PP material, which does not irritate the skin. It is comfortable to wear.
2. It is made of three-dimensional processing without pressure on the mouth and nose, which can eliminate the discomfort of breathing and speaking.
3. It is filtered by melt spraying method, and the filtering efficiency has reached more than 95%.
4. The nose buckle and special processing on both sides of the mask make it fit the face best
5. The ear (head) rope is made of thick, gentle and soft material.
6. Double open design reduces the chance to get polluted. It is safe, sanitary and convenient.
7. Automatic assembly line manufacturing, safety and hygiene, quality assurance
8. It is applicable to electronic manufacturing, catering service, food processing, schools, motorbike-riders, handicraft industry, hospitals, pharmaceutical factories, environmental cleaning, public places, etc





# Package CE FFP2



1 piece  
Weight:4.6g

x50



Chinese package

50 pieces / box for independent packing  
Size:190\*108\*167mm  
Weight:360g

x20



20 boxes / box in total,  
**1000** pieces in total  
Size:565\*395\*355mm  
Weight:8.3 or 7.46kg

x50




Chinese package

50 pieces / box for non independent packing  
Size:190\*108\*167mm  
Weight:331g

x20

20 boxes / box in total,  
**800** pieces in total  
Size:565\*395\*355mm  
Weight:6.2kg

x40



English package

40 pieces / box for non independent packing  
Size:190\*108\*167mm  
Weight:265g

x20

# Package


1011\1012  
BFE99 PFE99




3-layer



1 piece  
Weight: 3.4g



50pieces / box for non  
independent packing  
Size: 195\*104\*88mm  
Weight:172g



50 boxes / box in total,  
2500 pieces in total  
Size: 530\*400\*370mm  
Weight: 9.5KG


Package



1 piece independent  
paking


Weight: 7.4g

x10



10 / bar

x100



100 bar 1000 in total  
Size:530\*350\*460mm  
Weight: 10.6KG

# Package 1015



1 piece  
Weight: 5.2g



40pieces / box for non independent packing  
Size: 195\*104\*88mm  
Weight:262g



40 boxes / box in total 1600 pieces  
in total Size:  
530\*400\*370mm  
Weight: 11.65KG



25pieces / box for independent packing  
Size: 195\*104\*88mm  
Weight:205g



40 boxes / box in total 1000 pieces  
in total Size:  
530\*400\*370mm  
Weight: 9.5KG




### 5系列杯型口罩 Five series Cup type mask



#### 产品特点

- 经KN95认证产品，符合国标GB 2626-2006 标准
- 采用N95顶级高效过滤布，过滤效率达95%以上，可有效阻隔粉尘及空气中非油性颗粒
- 用于防护机械作用和热产生的粉尘、雾、烟、及悬浮颗粒
- 带活性炭层（活性炭特有不合树脂）可有效减轻或消除有机气体、异味的不适感，适用于化工农药、溶剂清洗、喷漆印刷、电子业、食品加工业、汽车轮船修造、油墨染整、环境消毒等多种环境恶劣的工作场所
- 舒适的加大鼻梁海绵及调整型鼻梁铝条设计，可确保极佳的脸部密合性
- 口罩边缘采用压花纹设计，可避免口罩边缘因脱屑引起的佩戴不适感
- 内外层加厚过滤布，防御性能加倍
- 头带采用透气性较好的进口材质高弹力头带
- 小包装分装设计，便于产品的分发，减少不必要的浪费和提高分发效率
- 带呼吸阀，便于气体排除，减少内部闷热感，适用于湿热或通风较差、劳动量较大的工作场所



型号	5011	5012	5013	5014
主要材质	高效 N95 过滤布 高效过滤棉	高效 N95 过滤布 高效过滤棉	高效 N95 过滤布 高效过滤棉 高密活性炭(不含树脂)	高效 N95 过滤布 高效过滤棉 高密活性炭(不含树脂)
结构层次	3 层, 无阀	3 层, 有阀	4 层, 无阀	4 层, 有阀
包装规格	30 只/盒 600 只/箱	20 只/盒 400 只/箱	30 只/盒 600 只/箱	20 只/盒 400 只/箱

# Product Workshop





*Thanks for all*

